



## Accommodation Sheet

### General information

|                                       |  |
|---------------------------------------|--|
| Accommodation name                    | Hotel Ausonia  |
| Typology                              | Hotel  |
| Address                               | Viale Matteotti 74 a   |
| City                                  | Follonica (GR)   |
| Contacts                              | Tel. +39 056640096 <a href="mailto:info@hotelausonia.it">info@hotelausonia.it</a>  |
| Website                               | <a href="http://www.hotelausonia.it/en">http://www.hotelausonia.it/en</a>  |
| WCAG 2.1 compliant accessible website | NO   |
| Online bookings                       | YES  |
| Short description                     | The Ausonia hotel overlooks the Gulf of Follonica, a climatic-seaside resort in the Tuscan Maremma, just a few meters from the sea |

**TESTED AND REVIEWED BY:** [Handy Superabile Social Promotion Association](#) in 2024

**Please note** The following information refers to the date of verification shown at the bottom of each sheet. The Association is not responsible for any significant changes made by the property after the visit.





## Summary

|   |    |
|---|----|
| Accommodation sheet .....   | 1  |
| General information .....   | 1  |
| Arrival at the property.....  | 3  |
| How to reach the property.....  | 3  |
| Pathway from the private/public car park to the entrance .....            | 4  |
| Entrance to the structure.....  | 5  |
| Hall - Reception .....  | 5  |
| Rooms/apartments .....  | 7  |
| Rooms/apartments adapted for guests with reduced mobility.....            | 7  |
| Toilet facilities in the guest room for guests with reduced mobility..... | 8  |
| Bar/restaurant.....   | 9  |
| Internal pathways and common services .....                               | 12 |
| Internal pathways.....  | 12 |
| Communal toilets .....  | 13 |
| Beach.....  | 14 |
| Communal toilets .....  | 16 |
| Beach club bar .....  | 17 |
| Medical practices/healthcare facilities.....                              | 17 |





## Arrival at the property

### How to reach the property

|  |   |
|--|---|
| By car   | <p>From the north-west (Turin - Genoa - Ventimiglia): A12 motorway mandatory exit (Rosignano), when you cross the S.S. Aurelia take the direction Grosseto and exit at Follonica nord and follow for Follonica centro.</p> <p>From the north-east (Venice - Bologna - Trieste): A1 motorway to Firenze Signa take the FI-PI-LI towards Livorno, at Collesalveti take the A12 towards Rome, then exit at Rosignano, then take the S.S. Aurelia towards Grosseto and exit at Follonica Nord and follow for Follonica centro.</p> <p>From the South (Naples - Bari): A1 or A24 to Rome, then the A12 to Civitavecchia where you then take the S.S. Aurelia northbound, until you reach Follonica center.</p> |
| By plane   | Pisa Airport  |
| Assistance service for people with disabilities                | YES   |
| Embarkation/disembarkation of passengers with reduced mobility | with courtesy chair and ambulift /Finger  |
| Tactile paths for the blind and visually impaired              | YES   |
| There is a toilet room accessible with grab handles            | YES   |
| By train   |   |
| Nearest station  | Follonica train station, 500 m away   |





|   |     |
|---|-----|
| Assistance service for people with disabilities | YES |
| Eventual notes                                  |     |



### Pathway from the private/public car park to the entrance

|   |   |
|---|---|
| Presence of private parking   | NO  |
| Public parking nearby   | YES   |
| Type of flooring in the public car park   | asphalt   |
| Presence of parking space reserved for people with disabilities in the public parking lot | SI num.2  |
| Describe the route from the car park to the entrance and any critical issues              | Through a short stretch of asphalt and a connected sidewalk |
| Distance from parking to entrance   | 10 m  |





## Entrance to the structure

|  |   |
|--|---|
| There is an accessible entrance  | YES main entrance   |
| How to access the structure  | <input checked="" type="checkbox"/> flat  |
| Type of entrance door  | 2-leaf automatic  |
| Useful width of door/entrance gate   | Above 110 cm  |
| There are indicators and tactile maps  | NO  |
|  |  |

## Hall - Reception

|                                   |   |
|-----------------------------------|---|
| How to reach it from the entrance | flat  |
| Reception desk height             | bench over 100 cm   |
| Presence of multilingual staff    | YES   |
| Type of information material      | <input type="checkbox"/> YES with maps/tactile signals<br><input checked="" type="checkbox"/> YES with brochure |







|  |  |
|--|--|
| Initial assistance is provided for visitors with disabilities                        | <input checked="" type="checkbox"/> YES with orientation tour of the structure<br><input checked="" type="checkbox"/> YES with room accompaniment<br><input checked="" type="checkbox"/> YES with porter service |
| The following aids are provided for visitors with disabilities                       | <input type="checkbox"/> manual wheelchair<br><input type="checkbox"/> Crutches<br><input type="checkbox"/> Comfortable shower chair   |
| The staff followed a training course on welcoming people with different disabilities | NO   |
|    |   |
|   |    |





## Rooms/apartments

### Rooms/apartments adapted for guests with reduced mobility

|   |   |
|---|---|
| Number and type of rooms/apartments equipped/usable by people with reduced mobility | <input checked="" type="checkbox"/> Double rooms ground floor num.1   |
| Room access   | <input checked="" type="checkbox"/> flat  |
|   |    |
| Type of entrance door   | Keyed   |
| Usable width of entrance door   | Above 90 cm   |
| Bed type and height   | double bed height not detected  |
| Free spaces on the sides of the bed   | left Above 90 cm<br>right 54 cm<br>frontal Above 90 cm  |
| Cabinet Type  | with doors  |
| Free space under the desk   | 77 cm   |
| In-room options are available   | <input checked="" type="checkbox"/> safe<br><input checked="" type="checkbox"/> minibar<br><input type="checkbox"/> Water Kettle<br><input type="checkbox"/> Iron |







### Toilet facilities in the guest room for guests with reduced mobility

|   |  |
|---|--|
| Access to the premises                                  | flat   |
| Usable width of the entrance door                       | 82 cm  |
| Type of door  | with inwardly opening door                                       |
| Toilet height   | 50 cm  |
| Toilet seat with open front tooth                       | YES  |
| Support handles   | on both sides  |
| Flexible shower on the side of the toilet               | NO   |
| Free space on the sides of the toilet                   | left Above 90 cm<br>right 25 cm<br>frontal Above 90 cm           |
| Electric doorbell/telephone on the side of the toilet   | NO   |
| Washbasin with space underneath for wheelchair approach | Above 70 cm  |
| Height from the ground lower edge mirror                | sufficient for use by a person in a wheelchair but not reclining |





|   |  |
|---|--|
|  |  |
| Accessible shower available for guests with reduced mobility                      | YES flush with the floor   |
| Type of shower  | open type  |
| Shower chair  | collapsible with a height of 50 cm   |
| Support handle  | YES  |
| Presence of shower head or sliding rails  | latch  |
| Electric doorbell/telephone on the side of the shower                             | NO   |

## Bar/restaurant

|  |   |
|--|---|
| Type of venue                          | Bar   |
| Access to the premises                 | <input checked="" type="checkbox"/> via ramp single length 140 cm, width 130 cm, slope 10 % |
| Useful width of door/entrance gate     | Above 90 cm   |
| Bar counter height                     | 115 cm  |
| Height of the buffet counter           | 90 cm high  |
| Types of tables                        | 4-shank   |
| Space under floor tables               | 70 cm   |
| Availability of high chairs for babies | NO  |

Project carried out with the contribution of the





|   |   |
|---|---|
| There are coffee and milk dispensers  | YES with button placed 90 cm from the ground  |
| There are toilets that can be used by a guest with reduced mobility (see "accessible toilets in the internal paths and common services) | YES   |
| There is an area reserved for lunch for younger guests  | NO  |
| A fully equipped baby feeding service is available  | NO  |
|   |  |

|  |  |
|--|--|
| Type of venue                          | Restaurant   |
| Access to the premises                 | <input checked="" type="checkbox"/> via ramp single length 130 cm, width 140 cm, slope 3 % |
| Useful width of door/entrance gate     | Above 100 cm   |
| Types of tables                        | 4-shank  |
| Space under floor tables               | 68 cm  |
| Availability of high chairs for babies | NO   |
| Multilingual menu                      | NO   |
| Menu with app                          | NO   |
| Braille menu                           | NO   |

Project carried out with the contribution of the





|   |  |
|---|--|
| Table service for people with disabilities  | YES  |
| Availability of foods for celiacs   | YES but it is necessary to notify the hotel in advance                               |
| There are coffee and milk dispensers  | NO table service is available  |
| A customer with reduced mobility can always reserve the same table  | YES  |
| There are toilets that can be used by a guest with reduced mobility (see "accessible toilets in the internal paths and common services) | YES  |
| There is an area reserved for lunch for younger guests  | NO   |
| A fully equipped baby feeding service is available  | NO   |
|   |   |
|    |  |

Project carried out with the contribution of the





|  |   |
|--|---|
| The restaurant has an outdoor veranda / dehors                                     | YES with flat access  |
| Types of tables  | 4-shank   |
| Space under floor tables   | Sufficient for approaching the wheelchair   |
|  |  |

## Internal pathways and common services

### Internal pathways

|   |   |
|---|---|
| Approximate distances from the room/apartment/bungalow visited and intended for customers with disabilities up to the various main common areas | Entrance (Hall) 10 m<br>Main restaurant 10 m<br>Beach 100 m   |
| Indicate whether the paths connecting with the common areas are flat or with ramps or steps, in addition to those already described             | Entrance (Hall) flat<br>Main restaurant with ramp<br>Beach with ramps   |
| Elevator to reach rooms not accessible on upper floors  | YES, with sliding door 75 cm wide - cabin depth 120 cm, width 80 cm, call button located 110 cm from the ground, internal push-button panel at 107 cm with embossed buttons and support handle. |





|   |           |
|---|-----------|
|   |           |
| <p>From the visited room to the common areas there are maps and tactile signs for the blind</p> | <p>NO</p> |

**Communal toilets**

|  |   |
|--|---|
| <p>Location of the venue</p>                                   | <p>near the lobby</p>   |
| <p>How to access the premises</p>                              | <p>flat</p>   |
| <p>Usable width of the entrance door</p>                       | <p>85 cm</p>  |
| <p>Type of door</p>  | <p>with inwardly opening door</p>   |
| <p>Toilet height</p>   | <p>Not detected</p>   |
| <p>Toilet seat with open front tooth</p>                       | <p>YES</p>  |
| <p>Support handles</p>   | <p>to the left of the toilet</p>  |
| <p>Flexible shower on the side of the toilet</p>               | <p>NO</p>   |
| <p>Free space on the sides of the toilet</p>                   | <p>left Above 80 cm<br/>right Choose an item.<br/>frontal Above 80 cm</p> |
| <p>Electric doorbell/telephone on the side of the toilet</p>   | <p>NO</p>   |
| <p>Washbasin with space underneath for wheelchair approach</p> | <p>Usable by wheelchair guests</p>  |





|   |  |
|---|--|
| Height from the ground lower edge mirror  | sufficient for use by a person in a wheelchair                                     |
| Baby changing table   | NO   |
|  |  |

## Beach

|                                |   |
|--------------------------------|---|
| Type of beach                  | sand  |
| Beach access                   | with 7 steps that can be overcome with 2 ramps, the first length 6 meters and 4% slope, the second length 8 meters 8% slope |
| Walkway to reach the umbrellas | YES   |
| Type of walkway                | wood  |
| Width of the walkway           | 90 cm   |







|  |   |
|--|---|
|  |   |
|  |   |
| <p>Also removable platform between the walkway and the umbrella station to facilitate passage and parking with a wheelchair</p>  | <p>YES</p>  |
| <p>Amphibious chair available for bathing people with reduced mobility owned or through bathing associations</p>                 | <p>YES</p>  |
| <p>There is a shower in the area</p>   | <p>YES with a 2 cm high step, floor-level shower cubicle, with a shower rail and a plastic chair is given on request.</p> |
| <p>On the beach there are toilets that can be used by guests with reduced mobility (see internal routes and common services)</p> | <p>YES</p>  |

Project carried out with the contribution of the







## Communal toilets

|   |  |
|---|--|
| Location of the venue   | near the beach   |
| How to access the premises  | flat   |
| Usable width of the entrance door   | 95 cm  |
| Type of door  | with door that can be opened outwards  |
| Toilet height   | 50 cm  |
| Toilet seat with open front tooth   | NO   |
| Support handles   | on both sides  |
| Flexible shower on the side of the toilet   | YES  |
| Free space on the sides of the toilet   | left greater than 100 cm<br>right 20 cm<br>frontal greater than 100 cm               |
| Electric doorbell/telephone on the side of the toilet                               | YES  |
| Washbasin with space underneath for wheelchair approach                             | 70 cm  |
| Height from the ground lower edge mirror  | Missing mirror   |
| Baby changing table   | NO   |
|  |  |





## Beach club bar

|  |   |
|--|---|
| Type of venue  | Bar   |
| Access to the premises   | <input checked="" type="checkbox"/> flat  |
| Bar counter height   | 113 cm  |
| Types of tables  | 4-shank   |
| Space under floor tables   | 65 cm   |
| Availability of foods for celiacs  | Ice cream   |
|  |  |

## Medical practices/healthcare facilities

|                             |  |
|-----------------------------|--|
| Hospitals near the property | <p>Sant'Andrea Hospital and Emergency Room, Viale Risorgimento 43, Massa Marittima (GR) Tel +39 0566 9091111 – 20 km</p> <p>Misericordia Hospital and Emergency Room, Via Senese 161, Grosseto Tel +39 0564 485111 - 50 km</p> |
|-----------------------------|--|



Project promoted by



**Regione Toscana**

---

|                             |  |
|-----------------------------|--|
|                             |  |
| Any dialysis facilities     | Nephrology and dialysis unit at the Misericordia hospital in Grosseto. Tel +39 0564 485218 0564 485159 – 50 km<br>Email <a href="mailto:alberto.papi@uslsudest.toscana.it">alberto.papi@uslsudest.toscana.it</a> |
| Other healthcare facilities | Ambulatorio Asl, Viale Europa 5 Follonica (GR) Tel +39 0566 909111 - 3 km  |

---

Project carried out with the contribution of the



**Presidenza del  
Consiglio dei Ministri**  
Ministro per la disabilità