



Accommodation Sheet

General information

Accommodation name	La Pineta Hotel
Typology	Hotel
Address	Via delle Collacchie, 67
City	Follonica (Gr)
Contacts	Tel +39 0566 52728
Website	http://www.lapinetafollonica.it/en
WCAG 2.1 compliant accessible website	NO
Online bookings	YES
Short description	Completely renovated and air-conditioned in 2014, the La Pineta hotel offers its guests 45 bright rooms a stone's throw from the beaches of the Gulf of Follonica.

TESTED AND REVIEWED BY: [Handy Superabile Social Promotion Association](#) in 2024

Please note The following information refers to the date of verification shown at the bottom of each sheet. The Association is not responsible for any significant changes made by the property after the visit.





Summary

Accommodation sheet	1
General information	1
Arrival at the property.....	3
How to reach the property.....	3
Pathway from the private/public car park to the entrance	4
Entrance to the structure.....	5
Hall - Reception	6
Rooms/apartments	7
Rooms/apartments adapted for guests with reduced mobility.....	7
Toilet in the single room for guests with reduced mobility	10
Toilet in the double room for guests with reduced mobility	12
Bar/restaurant	13
Internal pathways and common services	16
Internal pathways.....	16
Communal toilets	17
Medical practices/healthcare facilities.....	19





Arrival at the property

How to reach the property



By car	<p>From the north-west (Turin - Genoa - Ventimiglia): A12 motorway mandatory exit (Rosignano), when you cross the S.S. Aurelia take the direction of Grosseto and exit at Follonica Nord. Then turn right towards Follonica on SP 152 Vecchia Aurelia, enter Follonica and continue following the signs for Castiglione della Pescaia.</p> <p>From the north-east (Venice - Bologna - Trieste): A1 motorway to Firenze Signa take the FI-PI-LI towards Livorno, at Collesalveti take the A12 towards Rome, then exit at Rosignano, then take the S.S. Aurelia towards Grosseto and exit at Follonica Nord. Then turn right towards Follonica on SP 152 Vecchia Aurelia, enter Follonica and continue following the signs for Castiglione della Pescaia.</p> <p>From the South (Naples - Bari): A1 or A24 to Rome, then the A12 to Civitavecchia where you then take the S.S, Aurelia northbound, until you reach Follonica. Enter Follonica and continue following the signs for Castiglione della Pescaia.</p>
By plane	Pisa Airport
Assistance service for people with disabilities	YES
Embarkation/disembarkation of passengers with reduced mobility	with courtesy chair and ambulift /Finger





Tactile paths for the blind and visually impaired	YES
There is a toilet room accessible with grab handles	YES
By train	
Nearest station	Follonica train station 2 km away
Assistance service for people with disabilities	YES




Pathway from the private/public car park to the entrance

Presence of private parking	NO
Public parking nearby	YES
Type of flooring in the public car park	asphalt
Presence of parking space reserved for people with disabilities in the public parking lot	SI num.1
Describe the route from the car park to the entrance and any critical issues	Through a short stretch of pavement
Distance from parking to entrance	10 m
	







Entrance to the structure

There is an accessible entrance	YES main entrance
How to access the structure	<input checked="" type="checkbox"/> via ramp single length 518 cm, width 260 cm, slope 3.6 %, without handrails on the sides
Type of entrance door	2-leaf
Useful width of door/entrance gate	Above 90 cm
There are indicators and tactile maps	NO
	
	





Hall - Reception

How to reach it from the entrance	flat
Reception desk height	bench over 100 cm
Presence of multilingual staff	YES
Type of information material	<input type="checkbox"/> YES with maps/tactile signals <input checked="" type="checkbox"/> YES with brochure
Initial assistance is provided for visitors with disabilities	<input checked="" type="checkbox"/> YES with orientation tour of the structure <input checked="" type="checkbox"/> YES with room accompaniment <input checked="" type="checkbox"/> YES with porter service
The following aids are provided for visitors with disabilities	<input type="checkbox"/> manual wheelchair <input type="checkbox"/> Crutches <input type="checkbox"/> Comfortable shower chair
The staff followed a training course on welcoming people with different disabilities	NO
	





Rooms/apartments

Rooms/apartments adapted for guests with reduced mobility

Number and type of rooms/apartments equipped/usable by people with reduced mobility	<input checked="" type="checkbox"/> single rooms 3 Num . <input checked="" type="checkbox"/> Double rooms Triple rooms Num 1 <input type="checkbox"/>
Access to the single room	<input checked="" type="checkbox"/> by elevator Door width 80 cm, cabin width 120 cm, cabin depth 120 cm, call button height External 110 cm, height call button internal 110/130 cm





<p>Type of single room entrance door</p>	<p>Can be opened with magnetic card</p>
<p>Usable width of entrance door</p>	<p>80 cm</p>
<p>Bed type and height</p>	<p>single bed 59 cm high</p>
<p>Free spaces on the sides of the bed</p>	<p>left Above 90 cm right Choose an item. frontal Above 90 cm</p>
<p>Cabinet Type</p>	<p>With a single leaf</p>
<p>Free space under the desk</p>	<p>73 cm</p>
<p>In-room options are available</p>	<p><input checked="" type="checkbox"/> safe <input checked="" type="checkbox"/> minibar <input type="checkbox"/> Water Kettle <input type="checkbox"/> Iron</p>





<p>Access to the double room</p>	<p><input checked="" type="checkbox"/> by elevator door width 80 cm, cabin width 120 cm, cabin depth 120 cm, external call button height 110 cm, internal call button height 110/130 cm</p>
<p>Type of double room entrance door</p>	<p>Can be opened with magnetic card</p>
<p>Usable width of entrance door</p>	<p>80 cm</p>
<p>Type and height of the double bedroom bed</p>	<p>double bed 55 cm high</p>
<p>Free spaces on the sides of the bed</p>	<p>left Above 90 cm right 85 cm frontal Above 90 cm</p>
<p>Cabinet Type</p>	<p>With a single leaf</p>
<p>Free space under the desk</p>	<p>60 cm</p>
<p>In-room options are available</p>	<p><input checked="" type="checkbox"/> safe <input checked="" type="checkbox"/> minibar <input type="checkbox"/> Water Kettle <input checked="" type="checkbox"/> Iron</p>





Toilet in the single room for guests with reduced mobility

Access to the premises	flat
Usable width of the entrance door	80 cm
Type of door	with door that can be opened outwards with lever handle
Toilet height	52 cm
Toilet seat with open front tooth	NO
Support handles	to the left of the toilet
Flexible shower on the side of the toilet	YES
Free space on the sides of the toilet	left 25 cm right Above 90 cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	YES
Washbasin with space underneath for wheelchair approach	Above 70 cm
Height from the ground lower edge mirror	100 cm







<p>Accessible shower available for guests with reduced mobility</p>	<p>YES flush with the floor</p>
<p>Type of shower</p>	<p>open type with two casket doors</p>
<p>Shower chair</p>	<p>Convenient</p>
<p>Support handle</p>	<p>NO</p>
<p>Presence of shower head or sliding rails</p>	<p>Sliding sliding rail 180 cm from the ground</p>
<p>Electric doorbell/telephone on the side of the shower</p>	<p>NO</p>





Toilet in the double room for guests with reduced mobility

Access to the premises	flat
Usable width of the entrance door	77 cm
Type of door	flowing
Toilet height	53 cm
Toilet seat with open front tooth	NO
Support handles	to the right of the toilet
Flexible shower on the side of the toilet	YES
Free space on the sides of the toilet	left 25 cm right Above 90 cm frontal greater than 80 cm
Electric doorbell/telephone on the side of the toilet	YES
Washbasin with space underneath for wheelchair approach	Above 70 cm
Height from the ground lower edge mirror	103 cm
	
Accessible shower available for guests with reduced mobility	YES flush with the floor
Type of shower	open type with two casket doors





Shower chair	Convenient
Support handle	NO
Presence of shower head or sliding rails	Sliding sliding rail 180 cm from the ground
Electric doorbell/telephone on the side of the shower	NO
	

Bar/restaurant

Type of venue	Bar
Access to the premises	<input checked="" type="checkbox"/> flat
Useful width of door/entrance gate	Above 90 cm
Bar counter height	114 cm
Types of tables	with central support that can hinder approaching the wheelchair
Space under floor tables	68 cm
Availability of high chairs for babies	NO
There are toilets that can be used by a guest with reduced mobility (see "accessible toilets in the internal paths and common services)	YES







There is an area reserved for lunch for younger guests	NO
A fully equipped baby feeding service is available	YES
The restaurant has an outdoor veranda / dehors	YES
Types of tables	with central support
Space under floor tables	68 cm
	
	
Eventual notes	The hotel has a breakfast room and buffet with centrally supported tables
Type of venue	Restaurant





Useful width of door/entrance gate	Above 90 cm
Bar counter height	less than 100 cm
Height of the buffet counter	Choose an item.
Types of tables	with central support
Space under floor tables	70 cm
Availability of high chairs for babies	NO
There are toilets that can be used by a guest with reduced mobility (see "accessible toilets in the internal paths and common services)	YES
There is an area reserved for lunch for younger guests	NO
A fully equipped baby feeding service is available	NO
	





<p>The restaurant has an outdoor veranda / dehors</p>	<p>NO</p>

Internal pathways and common services



Internal pathways

<p>Approximate distances from the room/apartment/bungalow visited and intended for customers with disabilities up to the various main common areas</p>	<p>Entrance (Hall) 7 m Main restaurant 20 m</p>
<p>Indicate whether the paths connecting with the common areas are flat or with ramps or steps, in addition to those already described</p>	<p>Entrance (Hall) flat Main restaurant with ramps</p>
<p>From the visited room to the common areas there are maps and tactile signs for the blind</p>	<p>NO</p>







Communal toilets

Location of the venue	near the main restaurant
How to access the premises	flat
Usable width of the entrance door	of the anteroom 90 cm and of the bathroom 90 cm
Type of door	Door in the anteroom and sliding
Toilet height	50 cm
Toilet seat with open front tooth	NO
Support handles	Missing
Flexible shower on the side of the toilet	NO
Free space on the sides of the toilet	left Above 100 cm right 23 cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	YES
Washbasin with space underneath for wheelchair approach	Above 70 cm
Height from the ground lower edge mirror	120 cm
Baby changing table	YES
	

Location of the venue	near the bar
How to access the premises	flat





Usable width of the entrance door	of the anteroom 80 cm and of the bathroom 80 cm
Type of door	Door in the anteroom and bathroom
Toilet height	50 cm
Toilet seat with open front tooth	NO
Support handles	Missing
Flexible shower on the side of the toilet	NO
Free space on the sides of the toilet	left Above 90 cm right 25 cm frontal Above 100 cm
Electric doorbell/telephone on the side of the toilet	YES
Washbasin with space underneath for wheelchair approach	70 cm
Height from the ground lower edge mirror	112 cm
Baby changing table	NO
	





Medical practices/healthcare facilities

Hospitals near the property	Sant'Andrea Hospital and Emergency Room, Viale Risorgimento 43, Massa Marittima (GR) Tel +39 0566 9091111 – 20 km Misericordia Hospital and Emergency Room, Via Senese 161, Grosseto Tel +39 0564 485111 - 50 km
Any dialysis facilities	Nephrology and dialysis unit at the Misericordia hospital in Grosseto. Tel +39 0564 485218 0564 485159 – 50 km Email alberto.papi@uslsudest.toscana.it
Other healthcare facilities	Ambulatorio Asl, Viale Europa 5 Follonica (GR) Tel +39 0566 909111 - 3 km

