



Accommodation Sheet

General information

Accommodation name	HOTEL KYRTON
Typology	Hotel
Address	Via Luigi Raffaelli, 16
City	Forte dei Marmi (Lu)
Contacts	+39 0584 787461 - info@hotelkyrton.it
Website	http://www.hotelkyrton.it/en
WCAG 2.1 compliant accessible website	NO
Online bookings	YES
Short description	Forte dei Marmi, a climatic-seaside resort, is one of the most important tourist centers of the Tuscan Riviera, with very long beaches and over 100 bathing establishments that offer tourists a range of choices for relaxation, leisure and entertainment.

TESTED AND REVIEWED BY: [Handy Superabile Social Promotion Association](#) in 2024

Please note The following information refers to the date of verification shown at the bottom of each sheet. The Association is not responsible for any significant changes made by the property after the visit.





Summary

Accommodation sheet	1
General information	1
Arrival at the property.....	3
How to reach the property.....	3
Pathway from the private/public car park to the entrance	4
Entrance to the structure.....	5
Hall - Reception	6
Rooms/apartments	7
Rooms/apartments adapted for guests with reduced mobility.....	7
Toilet facilities in the guest room for guests with reduced mobility.....	9
Bar/restaurant	10
Internal pathways and common services	13
Internal pathways.....	13
Communal toilets	14
Swimming pool	14
Medical practices/healthcare facilities.....	16





Arrival at the property

How to reach the property

By car	<p>FROM GENOA: A12 motorway southbound Versilia exit.</p> <p>FROM MILAN: A1 motorway southbound near Parma take the A15 to La Spezia where you take the A12 southbound to the Versilia exit.</p> <p>FROM FLORENCE: Take the A11 Firenze-Mare motorway to Lucca, then take the motorway link road to Viareggio heading north to the Versilia exit.</p> <p>FROM ROME: A1 motorway to Florence then take the A11 to Lucca, then take the motorway link road to Viareggio northbound until the Versilia exit.</p> <p>From the Versilia exit, follow the signs for Forte Dei Marmi</p>
By plane	The nearest airport to the hotel is Pisa G. Galilei Airport, which is about 45 km away
Assistance service for people with disabilities	YES
Embarkation/disembarkation of passengers with reduced mobility	with courtesy chair and ambulift /Finger
Tactile paths for the blind and visually impaired	YES
There is a toilet room accessible with grab handles	YES
By train	
Nearest station	Querceta / Seravezza 5 km away
Assistance service for people with disabilities	NO but it is planned in the stations of Viareggio and Massa respectively 11 and 18 km away





Pathway from the private/public car park to the entrance

Presence of private parking	YES approx. 20 m
Presence of parking space reserved for people with disabilities	NO
Type of flooring of the private parking lot	Dirt
Public parking nearby	Free
Type of flooring in the public car park	asphalt
Presence of parking space reserved for people with disabilities in the public parking lot	NO
Eventual notes	A guest with reduced mobility can park in the area adjacent to the secondary entrance accessible via a ramp 630 cm long, 148 cm wide, 11% slope, while the main entrance can be reached via 4 steps 15 cm high





Entrance to the structure

There is an accessible entrance	Choose an item.
How to access the structure	<input type="checkbox"/> flat <input type="checkbox"/> through no. Steps Choose an item. <input type="checkbox"/> via sidewalks Choose an item. <input checked="" type="checkbox"/> via ramp single length 630 cm, width 148 cm, slope 11%, handrail on the left <input checked="" type="checkbox"/> by elevator door width cm, cabin width cm, cabin depth cm, call button height cm, highest button height keyboard, embossed/braille keys <input type="checkbox"/> via stairlift
Type of entrance door	sash
Useful width of door/entrance gate	82 cm
There are indicators and tactile maps	NO






Hall - Reception

How to reach it from the entrance flat	Flat
Reception desk height	100 cm
Presence of multilingual staff	YES
Type of information material	<input type="checkbox"/> YES with maps/tactile signals <input checked="" type="checkbox"/> YES with brochure
Initial assistance is provided for visitors with disabilities	<input type="checkbox"/> YES with orientation tour of the structure <input type="checkbox"/> YES with room accompaniment <input type="checkbox"/> YES with porter service
The following aids are provided for visitors with disabilities	<input type="checkbox"/> manual wheelchair <input type="checkbox"/> Crutches <input type="checkbox"/> Comfortable shower chair
The staff followed a training course on welcoming people with different disabilities	NO








Rooms/apartments

Rooms/apartments adapted for guests with reduced mobility

Number and type of rooms/apartments equipped/usable by people with reduced mobility	<input type="checkbox"/> Single rooms Choose an item. <input checked="" type="checkbox"/> double rooms Num. 1 <input checked="" type="checkbox"/> triple rooms num.1
Room access	<input checked="" type="checkbox"/> by elevator Door width 76 cm, width 96 Cabin cm, Cabin depth 133 cm, call button height 120 cm, embossed/braille keys
Access to the apartment	<input checked="" type="checkbox"/> flat
Type of entrance door	Not detected
Usable width of entrance door	81 cm
Bed type and height	double bed
Free spaces on the sides of the bed	left Above 90 cm right 60 cm





	frontal Above 90 cm
Cabinet Type	sliding doors
Free space under the desk	Not detected
In-room options are available	<input checked="" type="checkbox"/> safe <input type="checkbox"/> minibar <input type="checkbox"/> Water Kettle <input type="checkbox"/> Iron
There is a terrace/balcony/garden (useful door width)	balcony/veranda with usable door width 106 cm
How to access	by threshold/guide 6 cm high and 4 cm wide
	
	





Toilet facilities in the guest room for guests with reduced mobility

Access to the premises	flat
Usable width of the entrance door	80 cm
Type of door	Not detected
Toilet height	40 cm
Toilet seat with open front tooth	NO
Support handles	Missing
Flexible shower on the side of the toilet	NO
Free space on the sides of the toilet	left Above 90 cm right 30 cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	Above 70 cm
Height from the ground lower edge mirror	Not detected
Eventual notes	The measurements of the toilets in the double room are similar to those in the triple room. The only difference is the shower which is equipped with a seat and a vertical support handle. And the lever tap can be reached by a seated person





	
Accessible shower available for guests with reduced mobility	YES flush with the floor
Type of shower	with box
Shower chair	missing
Support handle	NO
Presence of shower head or sliding rails	ups and downs with the lowest point not reachable by a seated person
Electric doorbell/telephone on the side of the shower	YES

Bar/restaurant

Type of venue	Bar/restaurant
Access to the premises	<input checked="" type="checkbox"/> flat
Useful width of door/entrance gate	There are no doors/gates
Bar counter height	Above 100 cm
Height of the buffet counter	Choose an item.
Types of tables	4 legged restaurant. Breakfast room with central support





Space under floor tables	Restaurant 69 cm. Breakfast room with enough space for wheelchair
Availability of high chairs for babies	Not Verified
Multilingual menu	Not detected
Menu with app	NO
Braille menu	NO
Table service for people with disabilities	YES
Availability of foods for celiacs	<input checked="" type="checkbox"/> bread, pasta, biscuits, ice cream pre-packaged foods
There are coffee and milk dispensers	NO table service is available
A customer with reduced mobility can always reserve the same table	YES
There are toilets that can be used by a guest with reduced mobility (see "accessible toilets in the internal paths and common services)	YES
There is an area reserved for lunch for younger guests	NO
A fully equipped baby feeding service is available	Not detected






	
<p>The restaurant has an outdoor veranda / dehors</p>	<p>YES with flat access</p>
<p>Types of tables</p>	<p>with central support</p>
<p>Space under floor tables</p>	<p>Sufficient for juxtaposition</p>
	





Internal pathways and common services

Internal pathways

Eventual notes	The main common areas are accessible on the floor (hall, restaurant, bar, restaurant, reception) while the rooms visited can be reached via an elevator with a 76 cm wide sliding door and a call button placed at a height of 115 cm in Braille and relief. Wide cab. 96 cm, depth 133 cm, without support handle and with embossed keyboard 120 cm high from the ground.
	





Communal toilets

Location of the venue	near the lobby
How to access the premises	flat
Usable width of the entrance door	80 cm
Toilet height	40 cm
Toilet seat with open front tooth	NO
Support handles	Missing
Flexible shower on the side of the toilet	NO
Free space on the sides of the toilet	left Above 90 cm right Above 90 cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	Above 70 cm
Height from the ground lower edge mirror	not sufficient for use by a person in a wheelchair
Baby changing table	NO

Swimming pool

The property has a swimming pool	for adults and for children with fresh water
Pool with heated water	NO
Access to the swimming pool	via a 60 cm long connecting ramp with a challenging slope and a 60 cm wide passage.
Useful width of the entrance gate	60 cm
Access to the pool	via ramp with steps or ladder
Bathing aids for guests with reduced mobility	not present





Tank depth	Variable from 80 cm to 150 cm
Height of the pool edge-water level	20 cm
In the pool area there is a shower	YES with 2 cm step





Medical practices/healthcare facilities

Hospitals near the property	Versilia Hospital Via Aurelia n. 335 - 55049 Lido di Camaiore LU Tel +39 0584/6051
Any dialysis facilities	Dialysis service c/o Croce Verde Viale Italice, corner. via Risorgimento Tel. +39 0584 84013
Other healthcare facilities	San Camillo Nursing Home Via Padre Ignazio da Carrara, 37, Vittoria Apuana Tel +3905847391

