



## Accommodation Sheet

### General information

Accommodation name	Hotel delle Terme di Venturina
Typology	Hotel
Address	Via delle Terme, 36/40
City	Venturina Terme, Campiglia Marittima (LI)
Contacts	+39 0565 855759 - +39 3341806239 <a href="mailto:info@hterme.it">info@hterme.it</a>
Website	<a href="http://www.termediventurina.it/en">www.termediventurina.it/en</a>
WCAG 2.1 compliant accessible website	NO
Online bookings	YES
Short description	<p>The Hotel delle Terme, an authentic 4-star relaxation corner, is located in the Upper Maremma, in Venturina Terme, at the southernmost point of the province of Livorno, between San Vincenzo and Follonica. Nestled between the sea and the Tuscan hills, the Hotel delle Terme is surrounded by breathtaking views and landscapes full of beauty.</p> <p>It is the ideal place to enjoy the benefits of ancient thermal springs, to taste the delicious flavors of traditional cuisine, to discover the thousand facets of nature and the historical-artistic richness of the Etruscan Coast.</p>

TESTED AND REVIEWED BY: [Handy Superabile Social Promotion Association](#) in 2024

**Please note** The following information refers to the date of verification shown at the bottom of each sheet. **The Association** is not responsible for any significant changes made by the property after the visit.





---

## Summary

Accommodation Sheet.....	1
General information .....	1
Arrival at the property.....	3
How to reach the property.....	3
Pathway from the private/public car park to the entrance .....	4
Entrance to the structure.....	5
Hall - Reception .....	7
Rooms/apartments .....	8
Rooms/apartments adapted for guests with reduced mobility.....	8
Toilet facilities in the guest room for guests with reduced mobility.....	9
Bar/restaurant .....	12
Internal pathways and common services .....	15
Internal pathways.....	15
Communal toilets .....	16
Swimming pool .....	19
Medical practices/healthcare facilities.....	24





## Arrival at the property



### How to reach the property

By car	<p>It can be reached from Rome by taking the SS1 Aurelia state road northwards and exiting at Venturina / Piombino, follow the signs for the thermal baths and stay on the Aurelia di Venturina road northbound.</p> <p>It can be reached from Livorno along the SS1 Aurelia state road southwards. Exit at San Vincenzo Sud, follow the direction of Venturina for 6 km on the SS 1 Aurelia (not Campiglia Marittima). The hotel is located at the beginning of the village on the left</p>
By plane	Pisa Airport, about 60 km
Assistance service for people with disabilities	YES
Embarkation/disembarkation of passengers with reduced mobility	with courtesy chair and ambulift /Finger
Tactile paths for the blind and visually impaired	YES
There is a toilet room accessible with grab handles	YES
<b>By train</b>	<p>From the airport you can take the train to Pisa central station and from there to Campiglia marittima station which, like Pisa, provides PRM assistance for travelers with reduced mobility and forklift. From the Campiglia Marittima station to reach the hotel you have to take a taxi or the bus line 02 from Campiglia Marittima station to Caldana Sud about 1 km from the hotel TM S.p.A. Via Leonardo da Vinci, n. 13 - Piombino (LI) Tel Centralino +39 0565 260111</p>





### Pathway from the private/public car park to the entrance

Presence of private parking	YES
Presence of parking space reserved for people with disabilities	SI num. 2
Type of flooring of the private parking lot	asphalt
Public parking nearby	NO
Describe the route from the car park to the entrance and any critical issues	The 2 places reserved for people with disabilities are adjacent to the entrance of the spa and about 40 meters from the main entrance; The latter can be reached through an asphalted stretch for about 20 meters, connected to the sidewalk by a 3 m long, 130 cm wide connecting ramp, with a slight slope of 4% and subsequent sidewalks for about 20 meters.
Distance from parking to entrance	Approx. 90 m
	





## Entrance to the structure

There is an accessible entrance	Choose an item.
How to access the structure	<input checked="" type="checkbox"/> flat <input type="checkbox"/> through no. Steps Choose an item. <input type="checkbox"/> via sidewalks Choose an item. <input type="checkbox"/> via ramp Choose an item. <input type="checkbox"/> by elevator door width cm, cabin width cm, cabin depth cm, call button height cm, highest button height keyboard, embossed/braille keys <input type="checkbox"/> via stairlift
Type of entrance door	Automatic
Useful width of door/entrance gate	Above 90 cm
There are indicators and tactile maps	NO
Eventual notes	Near the parking reserved for the disabled there is a secondary path on the flat that leads to the entrance of the SPA and swimming pools directly from the outside without passing through the hotel lobby. This is used by those who use the pool services but are not hotel guests. The entrance doors are large and automatic.



Project promoted by



**Regione Toscana**





Project carried out with the contribution of the



**Presidenza del  
Consiglio dei Ministri**  
Ministro per la disabilità



## Hall - Reception

How to reach it from the entrance	flat
Reception desk height	bench over 100 cm
Presence of multilingual staff	YES
Type of information material	<input type="checkbox"/> YES with maps/tactile signals <input checked="" type="checkbox"/> YES with brochure
Initial assistance is provided for visitors with disabilities	<input checked="" type="checkbox"/> YES with orientation tour of the structure <input checked="" type="checkbox"/> YES with room accompaniment <input type="checkbox"/> YES with porter service
The following aids are provided for visitors with disabilities	<input type="checkbox"/> manual wheelchair <input type="checkbox"/> Crutches <input type="checkbox"/> Comfortable shower chair
The staff followed a training course on welcoming people with different disabilities	NO
	





## Rooms/apartments

### Rooms/apartments adapted for guests with reduced mobility

Number and type of rooms/apartments equipped/usable by people with reduced mobility	<input checked="" type="checkbox"/> Double rooms Triple rooms Num . 4 <input type="checkbox"/> Choose an item.
Room access	<input checked="" type="checkbox"/> by elevator Door width 80 cm, Cab width 94 cm, Cab depth 130 cm, Call button height 112 cm, height of the highest button keypad 135 cm , embossed/braille keys
Type of entrance door	With combination
Usable width of entrance door	80 cm
Bed type and height	double bed 65 cm high
Free spaces on the sides of the bed	left Above 90 cm right Above 90 cm frontal Above 90 cm
Cabinet Type	with doors
Free space under the desk	76 cm
In-room options are available	<input checked="" type="checkbox"/> safe <input checked="" type="checkbox"/> minibar <input type="checkbox"/> Water Kettle <input type="checkbox"/> Iron







### Toilet facilities in the guest room for guests with reduced mobility

Access to the premises	flat
Usable width of the entrance door	80 cm
Type of door	with inwardly opening door
Type of handle	lever
Toilet height	49 cm
Toilet seat with open front tooth	NO
Support handles	to the right of the toilet






Flexible shower on the side of the toilet	NO
Free space on the sides of the toilet	left 20 cm right 83 cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	68 cm
Height from the ground lower edge mirror	not sufficient for use by a person in a wheelchair
	
	
Accessible shower available for guests with reduced mobility	YES flush with the floor





Type of shower	with sliding curtain
Shower chair	Foldable 50 cm high and dimensions 32 cm x 32 cm
Support handle	YES
Presence of shower head or sliding rails	with flexible hand shower that can be reached by a seated person
Electric doorbell/telephone on the side of the shower	YES
Eventual notes	The handle behind the seat may obstruct the person sitting on it
	





## Bar/restaurant

Type of venue	Bar/restaurant
Access to the premises	<input checked="" type="checkbox"/> flat for both bars and restaurants
Useful width of door/entrance gate	greater than 90 cm for both
Bar counter height	The counter is 119 cm high with the counter part lowered to 90 cm
Height of the buffet counter	76 cm high
Types of tables	with central support
Space under floor tables	73 cm
Availability of high chairs for babies	YES
Multilingual menu	Not detected
Menu with app	Not detected
Braille menu	NO
Table service for people with disabilities	YES
Availability of foods for celiacs	<input checked="" type="checkbox"/> bread, pasta, biscuits, ice cream <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> pre-packaged foods
There are coffee and milk dispensers	YES with button placed 85 cm from the ground and availability of table service
A customer with reduced mobility can always reserve the same table	YES
There are toilets that can be used by a guest with reduced mobility (see "accessible toilets in the internal paths and common services)	YES
There is an area reserved for lunch for younger guests	NO
A fully equipped baby feeding service is available	NO





<p>The restaurant has an outdoor veranda / dehors</p>	<p>accessible via a sliding door with a threshold/guide 14 cm wide and 3 cm high.</p>
<p>Types of tables</p>	<p>Like those in the indoor room</p>
<p>Space under floor tables</p>	<p>73 cm</p>





Eventual notes

There is an additional bar located in the outdoor pool area and is accessible via a ramp 480 cm long, 150 cm wide with a 5% slope. The counter is 121 cm high. Drinks can be consumed comfortably seated at the adjacent tables or on the sun loungers in front, by the pool.





## Internal pathways and common services

### Internal pathways

Approximate distances from the room/apartment/bungalow visited and intended for customers with disabilities up to the various main common areas

Entrance (Hall) 15 m  
Main restaurant 20 m  
Main pool 50 m



#### LIFTS

The net opening of the sliding door of the elevator cabin is 80 cm, inside the car with a width of 94 cm and a depth of 130 cm, equipped with a support handle. Embossed call button placed 112 cm above the ground and embossed and braille control keypad with the highest key placed 135 cm from the ground. Sound and light warning of floors.







## Communal toilets

Location of the venue	near the main pool
How to access the premises	flat
Usable width of the entrance door	of the anteroom 88 cm and of the bathroom 88 cm
Type of door	with inwardly opening door
Type of handle	lever
Toilet height	50 cm
Toilet seat with open front tooth	NO
Support handles	to the right of the toilet
Flexible shower on the side of the toilet	YES without thermostat
Free space on the sides of the toilet	left 26 cm right Above 90 cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	68 cm
Height from the ground lower edge mirror	Missing mirror
Baby changing table	NO
	





Location of the venue	near the lobby and SPA
How to access the premises	flat
Usable width of the entrance door	of the anteroom 88 cm and of the bathroom 88 cm
Type of door	with inwardly opening door
Type of handle	lever
Toilet height	50 cm
Toilet seat with open front tooth	NO
Support handles	on both sides
Flexible shower on the side of the toilet	YES without thermostat
Free space on the sides of the toilet	left 2 2 Cm right Above 90 cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	68 cm
Height from the ground lower edge mirror	sufficient for use by a person in a wheelchair
Baby changing table	NO
	





Location of the venue	near the main pool
How to access the premises	flat
Usable width of the entrance door	of the anteroom 90 cm and of the bathroom 90 cm
Type of door	with inwardly opening door
Type of handle	bar
Toilet height	50 cm
Toilet seat with open front tooth	NO
Support handles	on both sides
Flexible shower on the side of the toilet	YES without thermostat
Free space on the sides of the toilet	left Above 90 cm right greater than 31 Cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	Not detected
Washbasin with space underneath for wheelchair approach	missing
Height from the ground lower edge mirror	Missing mirror
Baby changing table	NO
Eventual notes	There is also a 114X114 cm shower cubicle, with an 85 cm opening, equipped with a 32X32 cm reclining seat and H= 50 cm






## Swimming pool

The property has a main swimming pool	for adults and for children with fresh water
Pool with heated water	YES
Access to the swimming pool	<p>From the room to reach the pools you have to take the elevator and go down to the hall; From here, after about 25 m on the flat, you reach a staircase that can be overcome by means of a lifting platform with a clear door opening of 81 cm and a cabin 94 cm wide and 131 cm deep, without a handle, with the keyboard placed at a height of 100 cm. To go down to floor -1 where the pools are located, you must keep the button pressed. At the exit there is an outer embossed border about 2 cm high. From here you have to walk along a corridor, with a first flat section of 12 m and a subsequent ramp of 5 m slightly uphill, slope 3.8%, and 4 m up to a 2-leaf glass door with a net opening of 68 cm X 2.</p> <p>Once outside, you have to overcome a ramp, interrupted by a rest area, uphill, 145 cm wide, with a first section of 250 cm and</p>






	a slope of 5.5% and a second section 700 cm long with a slope of about 7% and, at the end of the ramp, a slight gutter for wheel cleaning
Access to the pool	with ladder
Bathing aids for guests with reduced mobility	not present
Tank depth	Variable from 130 cm to 200 cm
Height of the pool edge-water level	18 cm
In the pool area there is a shower	YES flush with the floor



Project promoted by



Regione Toscana



Project carried out with the contribution of the



Presidenza del  
Consiglio dei Ministri  
Ministro per la disabilità



The property has an indoor swimming pool	for adults and for children with fresh water
Pool with heated water	YES
Access to the swimming pool	Flat
Access to the pool	To access the pool, you have to overcome 5 steps 13 cm high. Access to the water is via a ramp with 6 steps, equipped with a handrail on the right side
Bathing aids for guests with reduced mobility	not present
Tank depth	variable from 120 cm
Height of the pool edge-water level	15 cm
In the pool area there is a shower	YES flush with the floor



Project promoted by



**Regione Toscana**



Project carried out with the contribution of the



**Presidenza del  
Consiglio dei Ministri**  
Ministro per la disabilità



## Medical practices/healthcare facilities

Hospitals near the property	Villamarina Hospital via Forlanini 24 Piombino (LI) Phone +39 0565 67111
Any dialysis facilities	Dialysis Center c/o Villamarina hospital, Piombino, Phone +39 0565 67283 <a href="mailto:nefrologia.piombino@uslnordovest.toscana.it">nefrologia.piombino@uslnordovest.toscana.it</a>
Other healthcare facilities	Asl Piombino Via V.Veneto 43, Piombino (LI) Phone +39 0565 67610 Medical Group Via dell'Industria 12, Venturina Terme (LI) +39 0565 1975620

