



Accommodation Sheet

General information

Accommodation name	Hotel Casale La Sterpaia
Typology	Hotel
Address	Viale delle Cascine, inside San Rossore Park
City	Pisa
Contacts	+39 050 532395
Website	https://casale-la-sterpaia.tuscanyitalyhotels.com/en/
WCAG 2.1 compliant accessible website	NO
Online bookings	YES
Short description	The Hotel Casale La Sterpaia is a modern 3-star hotel in Pisa housed in an old 19th century farmhouse surrounded by the green Tuscan countryside and belonged to the Medici family. The hotel boasts an idyllic location in the 4,800-hectare San Rossore National Park.

TESTED AND REVIEWED BY: [Handy Superabile Social Promotion Association](#) in 2024

Please note The following information refers to the date of verification shown at the bottom of each sheet. **The Association** is not responsible for any significant changes made by the property after the visit.





Summary

Accommodation sheet	1
General information	1
Arrival at the property.....	3
How to reach the property.....	3
Pathway from the private/public car park to the entrance	4
Entrance to the structure.....	5
Hall - Reception	6
Rooms/apartments	7
Rooms/apartments adapted for guests with reduced mobility.....	7
Toilet facilities in the guest room for guests with reduced mobility.....	8
Bar/restaurant	11
Internal pathways and common services	11
Internal pathways.....	11
Communal toilets	11
Medical practices/healthcare facilities.....	13





Arrival at the property

How to reach the property

By car	<p>from the north: A12 motorway exit Pisa Nord, take the SS Aurelia towards Pisa and follow the signs for Duomo-Piazza dei Miracoli. Follow Via delle Cascine, then turn right into Via Bonanno Pisano until you reach Piazza Manin (3.5 km from the airport and 500 m from the hotel), or continue along Via delle Cascine.</p> <p>from the south: SS1 Grosseto Rosignano variant, then take the A12 motorway to the Pisa Nord exit, take the SS Aurelia towards Pisa and follow the signs for Duomo-Piazza dei Miracoli. Follow Via delle Cascine, then turn right into Via Bonanno Pisano until you reach Piazza Manin (3.5 km from the airport and 500 m from the hotel), or continue along Via delle Cascine.</p> <p>For holders of disabled badges it is also possible to circulate in the ZTL by requesting access to the Electronic Gates office by calling the number 0508669113</p>
By plane	
Assistance service for people with disabilities	YES
Embarkation/disembarkation of passengers with reduced mobility	with courtesy chair and ambulift /Finger. Full assistance is provided on departure and arrival.
Tactile paths for the blind and visually impaired	YES, there are LOGES routes complete with tactile maps to facilitate movement.





There is a toilet room accessible with grab handles	YES
Presence of shuttle to station	YES. Automated ecological shuttle "PEOPLE MOVER" to Pisa central station.
By train	
Nearest station	name Pisa distant 2 km
Assistance service for people with disabilities	YES
Eventual notes	<p>Entrance to the station on level ground and smooth flooring inside. The ticket office has 5 counters. Presence of automatic ticket office with keypad placed 135 cm from the ground.</p> <p>Assistance service is provided by reservation: Email SalaBlu.Firenze@rfi.it or by calling the toll-free number 800906060 from a landline and from a mobile phone to the number 02323232 then dialing the area code of the place where assistance is requested.</p> <p>Access to the carriages is by forklift, or, only in some trains, by means of a lift placed at the entrance of the dedicated carriage, or by means of a removable slide for some carriages without a difference in height.</p>

Pathway from the private/public car park to the entrance

Presence of private parking	YES
Presence of parking space reserved for people with disabilities	NO
Type of flooring of the private parking lot	Stabilized and cement
Describe the route from the car park to the entrance and any critical issues	flat
Distance from parking to entrance	10 meters





Project promoted by



Regione Toscana



Entrance to the structure

There is an accessible entrance	YES main entrance
How to access the structure	<input checked="" type="checkbox"/> flat
There are indicators and tactile maps	NO
	

Project carried out with the contribution of the




Presidenza del
Consiglio dei Ministri
Ministro per la disabilità



Hall - Reception

How to reach it from the entrance	flat
Reception desk height	113 cm
Presence of multilingual staff	YES
Type of information material	<input type="checkbox"/> YES with maps/tactile signals <input checked="" type="checkbox"/> YES with brochure
Initial assistance is provided for visitors with disabilities	<input checked="" type="checkbox"/> YES with orientation tour of the structure <input checked="" type="checkbox"/> YES with room accompaniment <input checked="" type="checkbox"/> YES with porter service
The following aids are provided for visitors with disabilities	<input type="checkbox"/> manual wheelchair <input type="checkbox"/> Crutches <input type="checkbox"/> Comfortable shower chair
The staff followed a training course on welcoming people with different disabilities	NO





Rooms/apartments

Rooms/apartments adapted for guests with reduced mobility

Number and type of rooms/apartments equipped/usable by people with reduced mobility	<input checked="" type="checkbox"/> double rooms 2 Num. on the ground floor
Room access	<input checked="" type="checkbox"/> flat
Type of entrance door	with lever handle
Usable width of entrance door	Above 90 cm
Bed type and height	double bed 55 cm high
Free spaces on the sides of the bed	left 65 cm right 55 cm frontal 110 cm
Cabinet Type	with doors with coat hanger placed at 185 cm
Free space under the desk	70 cm
In-room options are available	<input type="checkbox"/> safe





	<input checked="" type="checkbox"/> minibar <input type="checkbox"/> Water Kettle <input type="checkbox"/> Iron


Toilet facilities in the guest room for guests with reduced mobility

Access to the premises	flat
Usable width of the entrance door	80 cm
Type of door	flowing
Type of handle	knob

Project carried out with the contribution of the





Toilet height	50 cm
Toilet seat with open front tooth	YES
Support handles	to the right of the toilet
Flexible shower on the side of the toilet	YES
Free space on the sides of the toilet	left 76 cm right 44 cm frontal 100 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	70 cm
Height from the ground lower edge mirror	98 cm
Eventual notes	Height hairdryer 130 cm and towel rail, washbasin 50 cm and shower 50 cm.
	





<p>Accessible shower available for guests with reduced mobility</p>	<p>YES flush with the floor</p>
<p>Type of shower</p>	<p>with box dimensions 80 X 90 cm</p>
<p>Shower chair</p>	<p>missing</p>
<p>Support handle</p>	<p>NO</p>
<p>Presence of shower head or sliding rails</p>	<p>Ups and downs with lowest point height 210 cm</p>
<p>Electric doorbell/telephone on the side of the shower</p>	<p>YES</p>





Bar/restaurant

Eventual notes	The hotel has automatic machines for coffee and other drinks, located on the ground floor. Access to the refreshment area is via a 3 cm step.
----------------	---

Internal pathways and common services

Internal pathways




Approximate distances from the room/apartment/bungalow visited and intended for customers with disabilities up to the various main common areas	Entrance (Hall) m 50
Indicate whether the paths connecting with the common areas are flat or with ramps or steps, in addition to those already described	Entrance (Hall) flat
From the visited room to the common areas there are maps and tactile signs for the blind	NO

Communal toilets

Location of the venue	near the lobby
How to access the premises	flat
Usable width of the entrance door	82 cm entrance door, 78 cm interior door
Type of door	with inwardly opening door
Type of handle	lever
Toilet height	50 cm





Toilet seat with open front tooth	YES
Support handles	to the left of the toilet
Flexible shower on the side of the toilet	YES with thermostat
Free space on the sides of the toilet	left 24 cm right Above 90 cm frontal Above 90 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	70 cm
Height from the ground lower edge mirror	Missing mirror
Baby changing table	NO
	
	





Medical practices/healthcare facilities

Hospitals near the property	Pisano Cisanello University Hospital, Via Paradisa 2, Pisa – Phone +39 050 992111 Santa Chiara Hospital Via B. Pisano 10, Pisa - Phone +39 050 992111 Pronto Soccorso at Ospedale Cisanello, Pisa - Telephone +39 050 992300
Any dialysis facilities	Cisanello Hospital Pisa. In the period June-September holiday dialysis service with availability of n. 6 beds; The treatments will be divided into three days a week (Monday, Wednesday and Friday) in the evening from 18.00 to 24.00 Phone +39 050 997250/997253/997256 call from 8.00 a.m. to 2.00 p.m. Email nefrotrap.pisa@ao-pisa.toscana.it
Other healthcare facilities	San Rossore Nursing Home (Private Hospital) Via delle Cascine 152/F Phone +39 050 586111

